

SpecPlate Topping

Version 1

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

 1.1 Trade Name (as labeled): Synonyms: CAS No: 1.2 Product Use: 1.3 Company Name: Company Address: Company Address Cont: 	SpecPlate Topping N/A Mixture Heavy Duty Metallic Floor Topping SpecChem 1511 Baltimore Ave; Suite 600 Kansas City, MO 64108
Business Phone: Website:	(816) 968-5600 www.specchemllc.com
1.4 Emergency Telephone Number:	VelocityEHS 1-(800)255-3924 (North America) +1-813-248-0585 (International) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-099-0731 (Mexico)
Date of Last Revision: Date of Current Revision:	October 11, 2017 July 1, 2018

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a gray powder with minimal odor. <u>Health Hazards</u>: May cause skin and respiratory irritation and burns to the eyes. Contact with skin may cause an allergic reaction. Repeated exposure may cause damage to the lungs. Contains components that are defined as human carcinogens. <u>Flammability Hazards</u>: This product is not considered flammable. <u>Reactivity Hazards</u>: None. <u>Environmental Hazards</u>: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Not Regulated



EU and GHS Symbols

Signal Word

2.1 EU Labeling and Classification:

Danger

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

266-043-4 is not listed in Annex I CAS 26499-65-0 is not listed in ESIS 215-279-6 is not listed in Annex I CAS 93763-70-3 is not listed in ESIS



215-138-9 is not listed in Annex I	
15-168-2 is not listed in Annex I	
202-049-5 index number is 601-052-00-2	
Substances not listed either individually or in grou	p entries must be self-classified.
Components Contributing to Classification:	Portland Cement, Plaster of Paris, Perlite,
	Calcium Oxide, Diiron Trioxide, Naphthalene
2.2 Label Elements:	
GHS Hazard Classifications:	Carcinogenicity Category 2
	STOT – SE Category 3 (Respiratory System)
	Skin Irritation Category 2
	Skin Sensitization Category 1
	Eye Damage Category 1
lazard Statements:	H351 Suspected of causing cancer
	H335 May cause respiratory irritation
	H315 Causes skin irritation
	H317 May cause an allergic skin reaction
	H318 Causes serious eye damage
Precautionary Statements:	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions
	have been read and understood.
	P260 Do not breath
	dust/fume/gas/mist/vapours/spray.
	P264 Wash thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated
	area.
	P272 Contaminated work clothing should not be
	allowed out of the workplace
	P270 Do not eat, drink or smoke when using
	this product. P280 Wear protective gloves/eye
	protection/face protection
Response Statements:	P308+P313 IF exposed or concerned: Get
icoponoe otatemento.	medical advice/attention.
	P304+P340 IF INHALED: Remove person to
	fresh air and keep comfortable for breathing.
	P312 Call a POISON CENTER/Doctor if you
	feel unwell.
	P302+P352 IF ON SKIN: Wash with plenty of
	water.
	P333+P312 If skin irritation or rash occurs: Get
	medical advice/attention.
	P362+P364 Take off contaminated clothing and
	wash it before reuse.
	P305+P351+P338 IF IN EYES: Rinse
	cautiously with water for several minutes.
	Remove contact lenses, if present and easy to
	Remove contact lenses it present and easy to



SpecPlate Topping

Version 1				
Storage Statements Disposal Statement			CENTE P403+P Keep cc P405 St P501 Di	nmediately call a POISON R/Doctor 233 Store in a well-ventilated place. Intainer tightly closed. Fore locked up. Ispose of contents/container in
				nce with gional/national/international regulations.
2.3 Health Hazards Symptoms of Overe The most significar symptoms of overe Acute: Inhalation: May cau Skin Contact: May Eye Contact: Conta Ingestion: May cau Chronic: Repeated of Target Organs: Acute: Eyes, Skin, Chronic: Lung, Skin	exposure nt routes of exposure a use respir cause irri act with th use gastro exposure Respirato	by Route of E of overexposure are described in ratory irritation. tation to skin. he eyes may cal intestinal irritati may cause skir	txposure: e for this produc n the following p use burns or irri ion, nausea, and	tation. d vomiting.
SECTION 3 – COMPOSITIO))N / INFO	RMATION ON	INGREDIENTS	
Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Portland Cement	< 50%	65997-15-1	266-043-4	STOT SE3, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1
Crystalline Silica (Quartz)/		14808-60-7		
Silica Sand	< 1%	14000-00-7	238-878-4	Carc. 2, STOT RE2
	< 0.4%	91-20-3	238-878-4	Carc. 2, STOT RE2 Acute Tox. 4, Carc. 2, Aquatic Acute 1, Aquatic Ch 1

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact:

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.




Skin Contact:	Wash skin thoroughly with soap and water after handling. Seek medical		
lu halatian.	attention if irritation develops and persists.		
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical		
	attention.		
Ingestion:	If product is swallowed, call physician or poison center imm	nediately. If	
	professional advice is not available, do not induce vomiting		
	induce vomiting or give dilutents (milk or water) to someon unconscious, having convulsions, or who cannot swallow.		
	advice. Take a copy of the label and/or SDS with the victim		
	professional.		
ledical Conditions			
Generally Aggravated By Exposure:	Pre-existing skin, respiratory system or eye problems may	he	
y Lybosule.	aggravated by prolonged contact.		
.2 Symptoms and Effe	cts Both Acute and Delayed: Exposure to skin and respirator		
	irritation. Contact with the eyes may cause burns. Contact		
	cause an allergic reaction. Repeated exposure may cause the lungs.	uamage to	
.3 Recommendations	to Physicians: Treat symptoms and eliminate overexposure.		
DN 5 – FIRE FIGHTING 5.1 Fire Extinguishing Use the following fire e	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes		
5.1 Fire Extinguishing Use the following fire e	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class		
5.1 Fire Extinguishing Use the following fire e 5.2 Unusual Fire and E Irritating and toxic fum	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class xplosion Hazards: es may be produced at high temperatures. Use of water ma aqueous solution. Do not allow run-off from fire fighting t	ay result if	
5.1 Fire Extinguishing Use the following fire e 5.2 Unusual Fire and E Irritating and toxic fum the formation of a toxic drains or water course	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class xplosion Hazards: es may be produced at high temperatures. Use of water ma aqueous solution. Do not allow run-off from fire fighting t s.	ay result if to enter	
5.1 Fire Extinguishing Use the following fire e 5.2 Unusual Fire and E Irritating and toxic fum the formation of a toxic drains or water course Explosive Sensitivity to N	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class xplosion Hazards: es may be produced at high temperatures. Use of water ma aqueous solution. Do not allow run-off from fire fighting t s. Mechanical Impact: No	ay result if to enter	
5.1 Fire Extinguishing Use the following fire e 5.2 Unusual Fire and E Irritating and toxic fum the formation of a toxic drains or water course Explosive Sensitivity to M Explosive Sensitivity to S	Materials: Water Spray: Yes xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Dry Chemical: Yes Other: Any "C" Class Other: Any "C" Class xplosion Hazards: Es may be produced at high temperatures. Use of water material aqueous solution. Do not allow run-off from fire fighting to s. Mechanical Impact: No Static Discharge: No	ay result if to enter	
5.1 Fire Extinguishing Use the following fire e 5.2 Unusual Fire and E Irritating and toxic fum the formation of a toxic drains or water course Explosive Sensitivity to M Explosive Sensitivity to S 5.3 Special Fire-Fightin	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class xplosion Hazards: es may be produced at high temperatures. Use of water material aqueous solution. Do not allow run-off from fire fighting test s. Mechanical Impact: No Static Discharge: No g Procedures: Value Static Discharge:	ay result if	
5.1 Fire Extinguishing Use the following fire e 5.2 Unusual Fire and E Irritating and toxic fum the formation of a toxic drains or water course Explosive Sensitivity to M Explosive Sensitivity to S 5.3 Special Fire-Fightin • Incipient fire res	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class xplosion Hazards: es may be produced at high temperatures. Use of water material e aqueous solution. Do not allow run-off from fire fighting temperatures. s. Mechanical Impact: No Static Discharge: No g Procedures: Donders should wear eye protection.	o enter	
5.1 Fire Extinguishing Use the following fire e 5.2 Unusual Fire and E Irritating and toxic fum the formation of a toxic drains or water course Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire res Structural firefigi protective equip	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class xplosion Hazards: es may be produced at high temperatures. Use of water material caqueous solution. Do not allow run-off from fire fighting temperatures. caqueous solution. Do not allow run-off from fire fighting temperatures. caqueous solution. No g Procedures: bonders should wear eye protection. aters must wear Self-Contained Breathing Apparatus (SCBA) a nent.	o enter	
5.1 Fire Extinguishing Use the following fire e 5.2 Unusual Fire and E Irritating and toxic fum the formation of a toxic drains or water course Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire res Structural firefigi protective equip Isolate materials	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class xplosion Hazards: Bes may be produced at high temperatures. Use of water material aqueous solution. Do not allow run-off from fire fighting to s. Mechanical Impact: No g Procedures: No bonders should wear eye protection. netrs must wear Self-Contained Breathing Apparatus (SCBA) a ment. not yet involved in the fire and protect personnel.	o enter	
5.1 Fire Extinguishing Use the following fire e 5.2 Unusual Fire and E Irritating and toxic fum the formation of a toxic drains or water course Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire res Structural firefigi protective equip Isolate materials	Materials: Water Spray: Yes stinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Dry Chemical: Yes Other: Any "C" Class xplosion Hazards: es may be produced at high temperatures. Use of water materiaqueous solution. Do not allow run-off from fire fighting to a solution. Do not allow run-off from fire area if this can be done without risk; otherwise, cool we are solution.	o enter	



SpecPlate Topping

Version 1

• If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

If liquid was introduced, construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE



SpecPlate Topping

Version 1

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Heavy Duty Metallic Floor Topping.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL	ACGIH TWA
Portland Cement	65997-15-1	TWA 5 mg/m3 (resp) TWA 15 mg/m3 (total)	TWA 5 mg/m3 (resp) TWA 10 mg/m3 (total)	10 mg/m3 (total)
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	TWA 0.1 mg/m3 (resp) TWA 0.3 mg/m3 (total)		0.025 mg/m3
Naphthalene	91-20-3	TWA 10 ppm (50 mg/m3)	TWA 10 ppm (50 mg/m3)	Not Listed

8.2 Exposure Controls: Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:	Maintain airborne contaminant concentrations below guidelines listed above. Use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate



	Ctandarda et Canada Avetralian Standarda, er
Body Protection:	Standards of Canada, Australian Standards, or relevant Japanese Standards. Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of
	Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese
	Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where
	objects may pierce the soles of the feet or where employee's feet may be exposed to electrical
	hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.
ON 9 – PHYSICAL AND CHEMICAL PROP	
9.1 Information on Basic Physical and Ch ppearance (Physical State and Color): Gr	
Odor: Minimal	
Odor Threshold: No data available pH: No data available	
Melting/Freezing Point: No data available	
Boiling Point: No data available	
Flash Point: No data available Evaporation Rate: No data available	
Flammability (Solid; Gas): No data available	le
Upper/Lower Flammability or Explosion I	
Vapor Pressure (mm Hg @ 20°C (68° F): N	Vo data available
Vapor Density: No data available Relative Density: No data available	
Specific Gravity: 2.6 - 3.2	
Solubility in Water: Miscible	
Weight per Gallon: No data available	a data availabla
Partition Coefficient (n-octanol/water): No Auto-Ignition Temperature: No data availa	
Decomposition Temperature: No data ava	
Viscosity: No data available	
9.2 Other Information: No data available	
ON 10 – STABILITY AND REACTIVITY	
10.1 Reactivity:	This product is not reactive.
10.2 Stability: 10.3 Possibility of Hazardous Reactions:	Stable under conditions of normal storage and use.
TUJU FUSSIDIIILV OF HAZATUOUS REACTIONS.	No data available.
10.4 Conditions to Avoid: 10.5 Incompatible Substances:	Hydrogen fluoride.



SpecPlate Topping

Version 1

10.6 Hazardous Decomposition Products: No data available.

	fects:		
Toxicity Data:	01.00.0	LDE0 Oral Dat	400 mg//cg
Naphthalene	91-20-3 14808-60-7	LD50 Oral – Rat	490 mg/kg
Crystalline Silica (Quartz/ Silica Sand	14808-60-7		
Suspected Cancer Agent:	(Quartz)/S lists: FEDE	ERAL OSHA Z LIST,	nd Crystalline Silica n one or more of the following NTP, IARC, or CAL/OSHA an cancer-causing agent by thes
Irritancy:		and respiratory irrita	nt.
Sensitization to the Product:			use skin sensitization.
Germ Cell Mutagenicity:			ngredients that are suspected
		m cell mutagenic.	
Reproductive Toxicity:			be a human reproductive
Toxicity			
12.4 Mobility in Soil: 12.5 Results of PBT and vPvB Asses 12.6 Other Adverse Effects: 12.7 Water Endangerment Class:	No specific ssment: No spec No data av At present for this pro	ailable , there are no ecoto	nis product.
	15		
JN 13 - DISPOSAL CONSIDERATION			
13.1 Waste Treatment Methods:	ap reę	propriate U.S. Fede gulations, those of A	e in accordance with ral, State, and local ustralia, EU Member
	ap re <u>(</u> Sta	propriate U.S. Fede	al, State, and local



Version 1				
Proper Shipping Name:	Not regulated			
Hazard Class Number and Description:	Not applicable			
Packing Group:	Not applicable			
DOT Label(s) Required:	Not applicable			
North American Emergency				
Response Guidebook Number:	Not applicable			
14.2 Environmental Hazards:				
Marine Pollutant:	The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).			
14.3 Special Precaution for User:	None			
<u>14.4 International Air Transport Association</u> Shipping Information (IATA):	Not regulated.			
14.5 International Maritime Organization	ivoi regulaieu.			
Shipping Information (IMO):				
UN Identification Number:	Not applicable			
Proper Shipping Name:	Not regulated			
Hazard Class Number and Description:	Not applicable			
Packing Group:	Not applicable			
EMS-No:	Not applicable			
United States Regulations: U.S. SARA Reporting Requirements: The components of this product are not subject to t of Title III of the Superfund Amendments and Reau U.S. SARA 311/312:	 U.S. SARA Reporting Requirements: The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act. U.S. SARA 311/312: Acute Health: Yes; Chronic Health: Yes; Fire: No; Reactivity; No U.S. CERCLA Reportable Quantity: None U.S. TSCA Inventory Status: 			
Other U.S. Federal Regulations: None known California Safe Drinking Water and Toxic Enford	Other U.S. Federal Regulations:			
 <u>15.2 Canadian Regulations:</u> <u>Canadian DSL/NDSL Inventory Status:</u> Components are DSL Listed, NDSL Listed and/or are exempt from listing <u>Other Canadian Regulations:</u> Not applicable <u>Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:</u> This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations. <u>Canadian WHMIS Classification and Symbols:</u> 				
Canadian whimis classification and symbols:				



SpecPlate Topping

Version 1

This product is Class E, Corrosive, and D2B, Materials causing other toxic effects, per WHMIS Controlled Product Regulations



15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 – OTHER INFORMATION

Date of Printing: July 1, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET