

### Pave Cure CW W/ Dye – TX Type I

Version 1

pg. 1

#### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): Synonyms: CAS No:	Pave Cure CW W/ Dye - TX Type I N/A Mixture
1.2 Product Use:	Concrete paving curing compound
1.3 Company Name:	SpecChem
Company Address:	1511 Baltimore Ave; Suite 600
Company Address Cont:	Kansas City, MO 64108
Business Phone:	(816) 968-5600
Website:	www.specchemllc.com
1.4 Emergency Telephone Number:	VelocityEHS 1-(800)255-3924 (North America) +1-813-248-0585 (International) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-099-0731 (Mexico)
Date of Last Revision: Date of Current Revision:	April 10, 2015 July 1, 2018

#### **SECTION 2 – HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** This product is a white liquid with a characteristic hydrocarbon odor. Health Hazards: May cause skin irritation.

Flammability Hazards: This product is not a flammable liquid.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Not regulated



**EU and GHS Symbols** 

Signal Word Danger

#### 2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

#### EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: **Index Number:**

204-007-1 is not listed in Annex I

Substances not listed either individually or in group entries must be self classified. **Components Contributing to Classification:** Slack Wax, Oleic Acid 2.2 Label Elements: **GHS Hazard Classifications:** Skin Irritation Category 2

Carcinogenicity Category 1B



### Pave Cure CW W/ Dye – TX Type I

on 1	pg. 2
Hazard Statements:	H315 Causes skin irritation
	H350 May cause cancer
Precautionary Statements:	P280 Wear protective gloves.
-	P264 Wash thoroughly after handling
	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions
	have been read and understood.
Response Statements:	P302+P352 IF ON SKIN: Wash with plenty of
·	water.
	P321 Specific treatment (see supplemental first
	aid instructions on this label).
	P332+P313 If skin irritation occurs: Get medical
	advice/attention.
	P362+P364 Take off contaminated clothing and
	wash clothing before reuse.
	P308+P313 IF exposed or concerned: Get
	medical advice/attention.
Storage Statements:	P405 Store locked up.
Disposal Statements:	P501 Dispose of contents/container in
	accordance with
	local/regional/national/international regulations.

Skin Contact: May cause moderate irritation to skin. Repeated exposure may cause skin dryness or cracking.

Eye Contact: Direct contact to the eyes may be irritating.

Ingestion: May cause gastrointestinal irritation, nausea, and vomiting.

Chronic: Repeated exposure may cause skin dryness or cracking.

#### Target Organs:

Acute: Skin. Chronic: Skin.

#### SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Oleic Acid	0-2%	112-80-1	204-007-1	Skin Irrit. 2
Slack Wax	20-25%	64742-61-6	265-165-5	Carc 1B
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).				

**Note:** All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000



### Pave Cure CW W/ Dye – TX Type I

Version 1

pg. 3

#### SECTION 4 – FIRST AID MEASURES

#### 4.1 Description of First Aid Measures:

Eye Contact:	If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.		
Skin Contact:	Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.		
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.		
Ingestion:	If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.		
Medical Conditions			
Generally Aggravated			
By Exposure:	Pre-existing skin, respiratory system or eye problems may be		
	aggravated by prolonged contact.		
4.2 Symptoms and Effects Both Acute and Delayed: Exposure to skin may cause irritation.			

**4.3 Recommendations to Physicians:** Treat symptoms and eliminate overexposure.

#### **SECTION 5 – FIRE FIGHTING MEASURES**

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials:

Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class

#### 5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

Explosive Sensitivity to Mechanical Impact:	No
Explosive Sensitivity to Static Discharge:	No

#### 5.3 Special Fire-Fighting Procedures:

• Incipient fire responders should wear eye protection.




### Pave Cure CW W/ Dye - TX Type I

#### Version 1

pg. 4

- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully
  applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



#### SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

#### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

#### 6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

#### 6.3 Spill and Leak Response:

#### Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

#### Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).



### Pave Cure CW W/ Dye – TX Type I

Version 1

pg. 5

#### **SECTION 7 - HANDLING AND STORAGE**

#### 7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

#### 7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

#### 7.3 Specific Uses:

Concrete curing compound.

#### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **8.1 Exposure Parameters:**

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Oleic Acid	112-80-1	Not Listed	Not Listed
Slack Wax	64742-61-6	Not Listed	Not Listed

#### 8.2 Exposure Controls: Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:	Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member
Eye Protection:	states. Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the



#### Pave Cure CW W/ Dye – TX Type I Version 1 pg. 6 European Standard EN166, Australian Standards, or relevant Japanese Standards. Hand Protection: Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. **Body Protection:** Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136. **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): White colored liquid Odor: Slight Odor Threshold: No data available **pH:** 9.75 +/- 0.75 Melting/Freezing Point: No data available **Boiling Point:** 212°F (100°C) Flash Point: Not applicable Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable Upper/Lower Flammability or Explosion Limits: Not data available Vapor Pressure (mm Hg @ 20°C (68° F): No data available Vapor Density: Heavier than air Relative Density: No data available Specific Gravity: 1.0 +/- .01 Solubility in Water: Soluble Weight per Gallon: 8.3 +/- 0.1 Partition Coefficient (n-octanol/water): No data available Auto-Ignition Temperature: No data available Decomposition Temperature: No data available Viscosity: 50 +/- 15 cps 9.2 Other Information: No data available



### Pave Cure CW W/ Dye - TX Type I

Version 1

pg. 7

#### SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity:	This product is not reactive.
10.2 Stability:	Stable under conditions of normal storage and use.
10.3 Possibility of Hazardous Reactions:	Will not occur.
10.4 Conditions to Avoid:	Avoid excessive temperatures, exposure to sunlight, sources
	of ignition.
10.5 Incompatible Substances:	Strong oxidizing agents.
10.6 Hazardous Decomposition Products	· Carbon monovide and diovide smoke

**10.6 Hazardous Decomposition Products:** Carbon monoxide and dioxide smoke.

#### SECTION 11 – TOXICOLOGY INFORMATION

# 11.1 Information on Toxicological Effects:

Toxicity Data:			
Oleic Acid	112-80-1	LD50 Oral – Rat	74,000 mg/kg
Slack Wax	64742-61-6	LD50 Oral – Rat	>5,000 mg/kg
		LD50 Dermal – Rabbit	>5,000 mg/kg

Suspected Cancer Agent:	Ingredients within this product are found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be cancer-causing agents by these agencies.
Irritancy:	Skin irritant.
Sensitization to the Product:	This product is not expected to cause skin sensitization.
Germ Cell Mutagenicity:	This product does not contain ingredients that are suspected to be a germ cell mutagenic.
Reproductive Toxicity:	This product is not expected to be a human reproductive toxicant.

#### **SECTION 12 – ECOLOGICAL INFORMATION**

#### 12.1 Toxicity:

Oleic Acid	112-80-1	LC50 – Fathead Minnow 205 mg/l – 96h		
12.2 Persistence	and Degradability:	No specific data available on this product.		
12.3 Bioaccumula		No specific data available on this product.		
12.4 Mobility in Soil:		No specific data available on this product.		
12.5 Results of P	BT and vPvB Assess	ment: No specific data available on this product.		
12.6 Other Adver		No data available		
12.7 Water Endangerment Class:		At present, there are no ecotoxicological assessments		
		for this product.		



### Pave Cure CW W/ Dye – TX Type I

Version 1

pg. 8

#### SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined

#### 13.2 EU Waste Code:

#### SECTION 14 - TRANSPORTATION INFORMATION

#### 14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by	the U.S. Department of Transportation, as follows.
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Hazard Class Number and Description:	Not applicable
Packing Group:	Not applicable
DOT Label(s) Required:	Not applicable
North American Emergency	
Response Guidebook Number:	Not applicable
14.2 Environmental Hazards:	
Marine Pollutant:	The components of this product are not designated by
	the Department of Transportation to be Marine
	Pollutants (49 CFR 172.101, Appendix B).
14.3 Special Precaution for User:	None
14.4 International Air Transport Association	
Shipping Information (IATA):	This product is not considered as dangerous goods.
14.5 International Maritime Organization	
Shipping Information (IMO):	
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Hazard Class Number and Description:	Not applicable
Packing Group:	Not applicable
EMS-No:	Not applicable

#### **SECTION 15 – REGULATORY INFORMATION**

 15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture: United States Regulations:
 U.S. SARA Reporting Requirements: The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.
 U.S. SARA 311/312: Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity; No
 U.S. CERCLA Reportable Quantity: Not applicable
 U.S. TSCA Inventory Status:



### Pave Cure CW W/ Dye – TX Type I

Version 1 pg. 9 The components of this product are listed on the TSCA Inventory or are exempted from listing. Other U.S. Federal Regulations: None known California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This product does not contain ingredients on the Proposition 65 Lists. 15.2 Canadian Regulations: Canadian DSL/NDSL Inventory Status: Components are DSL Listed, NDSL Listed and/or are exempt from listing **Other Canadian Regulations:** Not applicable Canadian Environmental Protection Act (CEPA) Priorities Substances Lists: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations. **Canadian WHMIS Classification and Symbols:** This product is Class D2B, Materials causing other toxic effects, per WHMIS Controlled Product Regulations. 15.3 European Economic Community Information: This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details. **Chemical Safety Assessment:** No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier. **15.4 Australian Information for Product:** Components of this product are listed on the International Chemical Inventory list. **15.5 Japanese Information for Product:** Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI. **15.6 International Chemical Inventories:** Listing of the components on individual country Chemical Inventories is as follows: Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed SECTION 16 – OTHER INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance) Date of Printing: July 1, 2018



### Pave Cure CW W/ Dye – TX Type I

#### Version 1

pg. 10

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET