

SpecRez

Version 1

pg. 1

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): Synonyms:	SpecRez N/A
CAS No ⁻	Mixture
1.2 Product Use:	Concrete curing compound
1.3 Company Name:	SpecChem
Company Address:	1511 Baltimore Ave; Suite 600
Company Address Cont:	Kansas City, MO 64108
Business Phone:	(816) 968-5600
Website:	www.specchemllc.com
1.4 Emergency Telephone Number:	VelocityEHS 1-(800)255-3924 (North America) +1-813-248-0585 (International) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-099-0731 (Mexico)
Date of Last Revision: Date of Current Revision:	July 6, 2016 July 1, 2018

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a white liquid with a characteristic hydrocarbon odor. <u>Health Hazards</u>: May cause skin, eye, and central nervous system irritation. May be an aspiration hazard. Inhalation may cause drowsiness or dizziness.

<u>Flammability Hazards</u>: This product is a flammable liquid with a flash point of >200°F (93.3°C). <u>Reactivity Hazards</u>: None.

<u>Environmental Hazards</u>: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Not regulated



EU and GHS Symbols

Signal Word

Danger

2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

232-489-3 is listed in Annex I 649-345-00-4 204-007-1 is not listed in Annex I Substances not listed either individually or in group entries must be self classified.



SpecRez

on 1	pg. 2
Components Contributing to Classification:	Solvent Naphtha (Petroleum), Light Aromatic, p- Chloro-a,a,a-triflourotoluene, Fatty Acid (Oleic Acid)
2.2 Label Elements:	,
GHS Hazard Classifications:	Skin Irritation Category 2
	Germ Cell Mutagenicity Category 1B
	Carcinogenicity Category 1B
	STOT – SE Category 1 (Central Nervous
	System)
Hazard Statements:	Aspiration Hazard Category 1 H315 Causes skin irritation
nazaru Statements.	H313 Causes skill initiation H340 May cause genetic defects
	H350 May cause cancer
	H304 May be fatal if swallowed and enters
	airways
	H372 Causes damage to organs through
	prolonged or repeated exposure (Central
	Nervous System)
Precautionary Statements:	P280 Wear protective gloves/eye
	protection/face protection.
	P264 Wash thoroughly after handling.
	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions
	have been read and understood.
	P260 Do not breathe
	dust/fume/gas/mist/vapours/spray. P270 Do not eat, drink or smoke when using
	this product.
Response Statements:	P302+P352 IF ON SKIN: Wash with plenty of
	water.
	P321 Specific treatment (see supplemental first
	aid instructions on this label).
	P332+P313 If skin irritation occurs: Get medical
	advice/attention
	P362+P364 Take off contaminated clothing and
	wash it before reuse.
	P308+P313 IF exposed or concerned: Get
	medical advice/attention.
	P301+P310 IF SWALLOWED: Immediately call
	a POISON Center/doctor.
Storage Statements:	P331 Do NOT induce vomiting. P405 Store locked up.
Disposal Statements:	P501 Dispose of contents/container in
	accordance with
	local/regional/national/international regulations.

2.3 Health Hazards or Risks From Exposure: Symptoms of Overexposure by Route of Exposure:



SpecRez

Version 1

pg. 3

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May cause central nervous system tract irritation.

Skin Contact: May cause moderate irritation to skin. Repeated exposure may cause skin dryness or cracking.

Eye Contact: Vapors and direct contact to the eyes may be irritating.

Ingestion: May cause lung damage if aspirated.

Chronic: Unknown.

Target Organs:

Acute: Skin, Eyes, Central Nervous System, Lungs Chronic: Unknown

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Solvent Naphtha (Petroleum), Light Aromatic	<1.5%	64742-95-6	265-199-0	Flammable liquids Category 3, Skin corrosion/ irritation Category 2; Serious eye damage/eye irritation Category 2A; Carcinogenicity Category 2; Specific target organ toxicity (single exposure) Category 3 – Narcotics effects, Respiratory irritation
p-Chloro-a,a,a-triflourotoluene	<2.0%	98-56-6	202-681-1	Flammable liquids Category 3, Specific target organ toxicity (single exposure) Category 3, Target Organs – Central nervous system (CNS) and Respiratory Irritation.
Fatty Acid(Oleic Acid)	0-2%	112-80-1	204-007-1	Skin Irrit 2

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact:	If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.
Skin Contact:	Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.



SpecRez


		pg. 4
Ingestion:	professional advice is r induce vomiting or give unconscious, having co advice. Take a copy of	I, call physician or poison center immediately. If not available, do not induce vomiting. Never e dilutents (milk or water) to someone who is onvulsions, or who cannot swallow. Seek medical f the label and/or SDS with the victim to the
Medical Conditions	health professional.	
Generally Aggravated		
By Exposure:	Pre-existing skin, respi aggravated by prolong	iratory system or eye problems may be ed contact.
4.2 Symptoms and Effe		yed: Exposure to skin, eyes, and respiratory
		ation. May cause headaches, drowsiness, or
1 2 Pacammandations	dizziness. Aspiration h	
	<u>o riiysicialis.</u> Heat symp	ptoms and eliminate overexposure.
ON 5 – FIRE FIGHTING I	IEASURES	
5.1 Fire Extinguishing N	/laterials:	
Use the following fire e	xtinguishing materials:	Water Spray: Yes
		Foam: Yes
		Halon: Yes
		Carbon Dioxide: Yes
		Dry Chemical: Yes
		Other: Any "C" Class
5.2 Unusual Fire and Ex	<u>plosion Hazards:</u>	
		igh temperatures. Use of water may result if ot allow run-off from fire fighting to enter
drains or water courses	-	
drains or water courses	5.	No
drains or water courses Explosive Sensitivity to N	s.	No
drains or water courses Explosive Sensitivity to N	s.	No No
drains or water courses Explosive Sensitivity to M Explosive Sensitivity to S	echanical Impact: tatic Discharge:	
drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin	s. lechanical Impact: tatic Discharge: g Procedures:	Νο
drains or water courses Explosive Sensitivity to M Explosive Sensitivity to S 5.3 Special Fire-Fightin • Incipient fire resp	s. Iechanical Impact: tatic Discharge: g Procedures: oonders should wear eye p	No protection.
 drains or water courses Explosive Sensitivity to M Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefightightightightightightightightightight	s. Iechanical Impact: tatic Discharge: g Procedures: ponders should wear eye p iters must wear Self-Conta	Νο
 drains or water courses Explosive Sensitivity to M Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipt 	s. Iechanical Impact: tatic Discharge: g Procedures: bonders should wear eye p iters must wear Self-Conta nent.	No protection. ained Breathing Apparatus (SCBA) and full
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials 	s. Iechanical Impact: tatic Discharge: g Procedures: oonders should wear eye p ters must wear Self-Conta nent. not yet involved in the fire	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel.
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers 	s. Iechanical Impact: tatic Discharge: g Procedures: bonders should wear eye p iters must wear Self-Conta nent. not yet involved in the fire from fire area if this can be	No protection. ained Breathing Apparatus (SCBA) and full
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers applied water spinal 	g Procedures: and the should wear eye p ters must wear Self-Containent. not yet involved in the fire from fire area if this can be	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel. e done without risk; otherwise, cool with carefully
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers applied water spinet If possible, prevention 	s. Iechanical Impact: tatic Discharge: onders should wear eye p ters must wear Self-Conta nent. not yet involved in the fire from fire area if this can be ray.	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel.
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers applied water spinor 	s. Iechanical Impact: tatic Discharge: onders should wear eye p ters must wear Self-Conta nent. not yet involved in the fire from fire area if this can be ray.	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel. e done without risk; otherwise, cool with carefully
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers applied water spinet If possible, prevention 	s. Iechanical Impact: tatic Discharge: onders should wear eye p ters must wear Self-Conta nent. not yet involved in the fire from fire area if this can be ray.	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel. e done without risk; otherwise, cool with carefully
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers applied water spinet If possible, prevention 	s. Iechanical Impact: tatic Discharge: onders should wear eye p ters must wear Self-Conta nent. not yet involved in the fire from fire area if this can be ray.	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel. e done without risk; otherwise, cool with carefully
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers applied water spinet If possible, prevention 	s. Iechanical Impact: tatic Discharge: onders should wear eye p ters must wear Self-Conta nent. not yet involved in the fire from fire area if this can be ray.	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel. e done without risk; otherwise, cool with carefully
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers applied water spinet If possible, prevention 	s. Iechanical Impact: tatic Discharge: onders should wear eye p ters must wear Self-Conta nent. not yet involved in the fire from fire area if this can be ray.	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel. e done without risk; otherwise, cool with carefully
 drains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers applied water spinet If possible, prevention 	s. Iechanical Impact: tatic Discharge: onders should wear eye p ters must wear Self-Conta nent. not yet involved in the fire from fire area if this can be ray.	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel. e done without risk; otherwise, cool with carefully
 Irains or water courses Explosive Sensitivity to N Explosive Sensitivity to S 5.3 Special Fire-Fightin Incipient fire resp Structural firefigh protective equipr Isolate materials Move containers applied water spinet If possible, prevent 	s. Iechanical Impact: tatic Discharge: onders should wear eye p ters must wear Self-Conta nent. not yet involved in the fire from fire area if this can be ray.	No protection. ained Breathing Apparatus (SCBA) and full and protect personnel. e done without risk; otherwise, cool with carefully



SpecRez







SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.



SpecRez

Version 1

pg. 6

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Concrete curing compound.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Solvent Naphtha (Petroleum), Light Aromatic	64742-95-6	Not Listed	Not Listed
p-Chloro-a,a,a-triflouotoluene	98-56-6	100 mg/m³	100 mg/m³
Fatty Acid(Oleic Acid)	112-80-1	Not Listed	Not Listed

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:	Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374,



SpecRez

/ersion 1	pg. 7
Body Protection:	the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.
CTION 9 – PHYSICAL AND CHEMICAL PROP	ERTIES
 <u>9.1 Information on Basic Physical and Chappearance (Physical State and Color): Modor:</u> Characteristic hydrocarbon Odor Threshold: No data available pH: 10.0+/- 0.5 Melting/Freezing Point: No data available Boiling Point: 280°F (137°C) Flash Point: >200°F (93.3°C) Evaporation Rate: 8 Flammability (Solid; Gas): Not applicable Upper/Lower Flammability or Explosion I Vapor Pressure (mm Hg @ 20°C (68° F): 7 Vapor Density: 4 Relative Density: No data available Specific Gravity: 0.98 Solubility in Water: Completely miscible Weight per Gallon: 8.1 +/- 0.1 # Partition Coefficient (n-octanol/water): No data available Decomposition Temperature: No data available Decomposition Temperature: No data available Siscosity: 100 +/- 15 cps 9.2 Other Information: No data available 	White liquid Limits: LEL 0.7%, UFL 7.5% 11 mm Hg 100°F o data available able
CTION 10 – STABILITY AND REACTIVITY	
<u>10.1 Reactivity:</u> <u>10.2 Stability:</u> <u>10.3 Possibility of Hazardous Reactions</u> : <u>10.4 Conditions to Avoid:</u>	This product is not reactive. Stable under conditions of normal storage and use. Will not occur. Avoid excessive temperatures, exposure to sunlight, sources of ignition.



pg. 8

SpecRez

Version 1

10.5 Incompatible Substances:

Strong oxidizing agents. 10.6 Hazardous Decomposition Products: Carbon monoxide and dioxide smoke.

SECTION 11 – TOXICOLOGY INFORMATION

11.1 Information on Toxicological Effects:			
Toxicity Data:			
Fatty Acid (Oleic Acid)	112-80-1	LD50 Intravenous – Rat	2.4 mg/kg
Calvert Nerbtha		LD50 Oral – Rat	>3000 mg/kg
Solvent Naphtha (Petroleum), Light Aromatic	64742-95-6	LD50 Dermal – Rabbit	>3160 mg/kg
(Felloleulli), Light Alomatic		LC50 Inhalation – Rat	3400 ppm – 4h
		LD50 Dermal – Rabbit	>2700 mg/kg
p-Chloro-a,a,a-triflourotoluene	98-56-6	LC50 Inhalation – Rat	>4479 ppm

Suspected Cancer Agent:

Irritancy: Sensitization to the Product: Germ Cell Mutagenicity:

Ingredients within this product are found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be cancer-causing agents by these agencies. Skin, eye, central nervous system. This product is not expected to cause skin sensitization. This product contains ingredients that are suspected to be a germ cell mutagenic. This product is not expected to be a human reproductive toxicant.

Reproductive Toxicity:

SECTION 12 – ECOLOGICAL INFORMATION

12.1 Toxicity:

Fatty Acid (Oleic Acid)	112-80-1	LC50 – Fathead minnow	205 mg/l – 96h
Solvent Naphtha	64742-95-6	LC50 - Oncorhynchus mykiss	9.22mg/l – 96h
(Petroleum), Light Aromatic			
p-chloro-a,a,a,-triflourotoluene	98-56-6	LC50 – Fish	3 mg/L- 96 h

12.2 Persistence and Degradability: 12.3 Bioaccumulative Potential: 12.4 Mobility in Soil:	No specific data available on this product. No specific data available on this product. No specific data available on this product.
	nent: No specific data available on this product. No data available
12.7 Water Endangerment Class:	At present, there are no ecotoxicological assessments for this product.



SpecRez

Version 1

pg. 9

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined

13.2 EU Waste Code:

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by	the U.S. Department of Transportation, as follows.
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Hazard Class Number and Description:	Not applicable
Packing Group:	Not applicable
DOT Label(s) Required:	Not applicable
North American Emergency	
Response Guidebook Number:	Not applicable
14.2 Environmental Hazards:	
Marine Pollutant:	The components of this product are not designated by
	the Department of Transportation to be Marine
	Pollutants (49 CFR 172.101, Appendix B).
14.3 Special Precaution for User:	None
14.4 International Air Transport Association	
Shipping Information (IATA):	This product is not considered as dangerous goods.
14.5 International Maritime Organization	
Shipping Information (IMO):	
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Hazard Class Number and Description:	Not applicable
Packing Group:	Not applicable
EMS-No:	Not applicable

SECTION 15 – REGULATORY INFORMATION

<u>15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:</u> <u>United States Regulations:</u>
<u>U.S. SARA Reporting Requirements:</u> The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.
<u>U.S. SARA 311/312:</u> Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity; No
<u>U.S. CERCLA Reportable Quantity:</u> Not applicable
<u>U.S. TSCA Inventory Status:</u>



SpecRez

Version 1 pg.	10
Version 1 pg.	10
The components of this product are listed on the TSCA Inventory or are exempted from listing.	
Other U.S. Federal Regulations:	
None known	
California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):	
This product does not contain ingredients on the Proposition 65 Lists.	
15.2 Canadian Regulations:	
Canadian DSL/NDSL Inventory Status:	
Components are DSL Listed, NDSL Listed and/or are exempt from listing	
Other Canadian Regulations:	
Not applicable	
Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:	
This product has been classified in accordance with the hazard criteria of the Controlled Products	
Regulations and the MSDS contains all of the information required by those regulations.	
Canadian WHMIS Classification and Symbols:	
This product is Class D2B, Materials causing other toxic effects, per WHMIS Controlled Product	
Regulations.	
(\mathbf{T})	
$\mathbf{\nabla}$	
15.3 European Economic Community Information:	
This product meets the definition of a hazardous substance or preparation as defined by the Europe	
Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See	Section
2 for Details.	
Chemical Safety Assessment:	
No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.	
15.4 Australian Information for Product:	
Components of this product are listed on the International Chemical Inventory list.	
15.5 Japanese Information for Product:	
Japanese Minister of International Trade and Industry (MITI) Status: The components of this produc	t are not
listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Design	nated
Chemical Substances by the Japanese MITI.	
15.6 International Chemical Inventories:	
Listing of the components on individual country Chemical Inventories is as follows:	
Australian Inventory of Chemical Substances (AICS): Listed	
Korean Existing Chemicals List (ECL): Listed	
Japanese Existing National Inventory of Chemical Substances (ENCS): Listed	
Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed	
U.S. TSCA: Listed	
SECTION 16 – OTHER INFORMATION	
Data of Printing: July 1, 2018	
Date of Printing: July 1, 2018	

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of



SpecRez

Version 1

pg. 11

the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET