

## **All Shield EX**

Version 1

pg. 1

## SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled):	All Shield SB
Synonyms:	N/A
CAS No:	Mixture
1.2 Product Use:	Water, Stain and Soil Repellent
1.3 Company Name:	SpecChem
Company Address:	1511 Baltimore Ave; Suite 600
Company Address Cont:	Kansas City, MO 64108
Business Phone:	(816) 968-5600
Website:	www.specchemllc.com
1.4 Emergency Telephone Number:	VelocityEHS 1-(800)255-3924 (North America) +1-813-248-
	0585 (International) 1-300-954-583 (Australia) 0-800-591-6042
	(Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-
Date of Last Revision:	099-0731 (Mexico) N/A
Date of Current Revision:	August 12, 2024

## **SECTION 2 – HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** This product is a milky white liquid with a characteristic hydrocarbon odor.

<u>Health Hazards</u>: May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Causes mild skin irritation.

Flammability Hazards: Highly flammable liquid and vapour

Reactivity Hazards: None.

<u>Environmental Hazards</u>: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Flammable

EU and GHS Symbols

Signal Word

Danger

2.1 Classification of the substance or mixture: Hazard Statements:

Highly flammable liquid and vapour May be fatal if swallowed and enters airways May cause drowsiness or dizziness Causes skin irritation. Causes serious eye irritation. Flammable liquid Category 3 - Aspiration hazard. Category 1 -Specific target organ toxicity, single exposure; Narcotic effects. Category 3 - Skin





# All Shield EX

Version 1	pg. 2
	Corrosion/Irritation. Category 2 - Eye Irritation. Category 2A
2.2 Label Elements:	
Precautionary Statements:	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lightning and other equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection. Wash hands, forearms and face thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.
Response Statements:	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use dry chemical, CO2, water spray (fog) or foam for extinction. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POSION CENTER or doctor/physician if you feel unwell If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
Storage Statements:	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.



## All Shield EX

Version 1

pg. 3

## Disposal Statements:

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 2.3 Health Hazards or Risks From Exposure:

#### Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

#### Acute:

Inhalation: May cause respiratory tract irritation. May cause headaches, drowsiness, or dizziness. Skin Contact: May cause moderate irritation to skin. Repeated exposure may cause skin dryness or cracking.

Eye Contact: Vapours and direct contact to the eyes may be irritating.

Ingestion: May cause nausea, vomiting, and headaches.

Chronic: Repeated exposure may cause skin dryness or cracking.

#### Target Organs:

Acute: Skin, Eyes, Respiratory System Chronic: Skin

## SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Fluorinated Acrylic Copolyn	= 2%</td <td>Proprietary</td> <td></td> <td></td>	Proprietary		
Alkanes, C11-15-iso-	=1.8%</td <td>90622-58-5</td> <td></td> <td></td>	90622-58-5		
Distillates, Petroleum, Hydrotreated Light	= 5.3%</td <td>64742-48-9</td> <td></td> <td></td>	64742-48-9		
Dipropylene Glycol Methyl Ether	= 1.8%</td <td>34590-94-8</td> <td></td> <td></td>	34590-94-8		
Aromatic Hydrocarbon	80 – 95%	64742-95-6	265-199-0	
Balance of other ingredients ar respiratory sensitizers).	e non-hazardou	s or less than 1% i	n concentration (o	0.1% for carcinogens, reproductive toxins, or

**Note:** All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

## **SECTION 4 – FIRST AID MEASURES**

#### 4.1 Description of First Aid Measures:

Eye Contact:Flush with large amounts of water. Remove contact lenses if easy to do<br/>so. Continue rinsing. If signs/symptoms develop, get medical attention.Skin Contact:IF ON SKIN (or hair): Remove/Take off immediately all contaminated<br/>clothing. Rinse skin with water/shower. If skin irritation occurs: Get<br/>medical advice/attention.



Inhalation:       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POSION CENTER or doctor/physician if you feel unwell.         Ingestion:       IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting.         ON 5 - FIRE FIGHTING MEASURES         5.1 Fire Extinguishing Materials:         Use the following fire extinguishing			
comfortable for breathing. Call a POSION CENTER or doctor/physician if you feel unwell.         Ingestion:       IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting.         ON 5 - FIRE FIGHTING MEASURES         5.1 Fire Extinguishing Materials:         Use the following fire extinguishing materials:         Water Spray: No Foam: Yes         Halon: No         Carbon Dioxide: Yes         Dry Chemical: Yes         Other: None         Fire and Explosion Hazard: Flammable liquid Hazardous decomposition products formed under fire conditions. Hazardous combustion products: Hydrogen fluoride, carbon monoxide and other hazardous decomposition products: Hydrogen fluoride, carbon monoxide and other hazardous decomposition products formed.         5.2 Unusual Fire and Explosion Hazards:         Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.         Explosive Sensitivity to Mechanical Impact:       No         5.3 Special Fire-Fighting Procedures:       Evacuate personnel to safe areas. Wear self-contained breathing apparatus and appropriate full protective equipment. Move containers from area of the fire if this can be done without risk. Cool fire-exposed containers with water. Do not allow run-off from firefighting to enter drains or water courses.         ON 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)         6.1 Personal Precautions, Protective Equipme	on 1		pg. 4
doctor/physician Do NOT induce vomiting. ON 5 – FIRE FIGHTING MEASURES 5.1 Fire Extinguishing Materials: Use the following fire extinguishing materials: Water Spray: No Foam: Yes Halon: No Carbon Dioxide: Yes Dry Chemical: Yes Other: None Fire and Explosion Hazard: Flammable liquid Hazardous decomposition products formed under fire conditions. Hazardous combustion products: Hydrogen fluoride, carbon dioxide, carbon monoxide and other hazardous decomposition products may be formed. 5.2 Unusual Fire and Explosion Hazards: Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses. Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No 5.3 Special Fire-Fighting Procedures: Evacuate personnel to safe areas. Wear self-contained breathing apparatus and appropriate full protective equipment. Move containers from area of the fire if this can be done without risk. Cool fire-exposed containers with water. Do not allow run-off from firefighting to enter drains or water courses. ON 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS) 6.1 Personal Precautions, Protective Equipment and Emergency Procedures: Evacuate personnel to safe area. Ensure cleanup is done only by trained personnel. Material can create slippery conditions. Wear personal protective equipment. Ventilate area. 6.2 Environmental Precautionsi Do not discharge to streams, ponds, lakes or sewers. Avoid subsoil penetration. For larger, cover		comfortable for breathi if you feel unwell.	ng. Call a POSION CENTER or doctor/physician
5.1 Fire Extinguishing Materials:     Use the following fire extinguishing materials: Water Spray: No     Foam: Yes     Halon: No     Carbon Dioxide: Yes     Dry Chemical: Yes     Other: None     Fire and Explosion Hazard: Flammable liquid     Hazardous decomposition products formed     under fire conditions. Hazardous combustion     products: Hydrogen fluoride, carbon monoxide and other hazardous     decomposition products may be formed.     5.2 Unusual Fire and Explosion Hazards:     Irritating and toxic fumes may be produced at high temperatures. Use of water may result if     the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter     drains or water courses.     Explosive Sensitivity to Mechanical Impact: No     Explosive Sensitivity to Static Discharge: No     5.3 Special Fire-Fighting Procedures:     Evacuate personnel to safe areas. Wear self-contained breathing apparatus and appropriate full     protective equipment. Move containers from area of the fire if this can be done without risk. Cool     fire-exposed containers with water. Do not allow run-off from firefighting to enter drains or water     courses.     DN 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)     6.1 Personal Precautions, Protective Equipment and Emergency Procedures:     Evacuate personnel to safe area. Ensure cleanup is done only by trained personnel. Material can     create slippery conditions. Wear personal protective equipment. Ventilate area.     6.2 Environmental Precautions:     Do not discharge to streams, ponds, lakes or sewers. Avoid subsoil penetration. For larger, cover	ingestion.		
Use the following fire extinguishing materials: Water Spray: No Foam: Yes Halon: No Carbon Dioxide: Yes Dry Chemical: Yes Other: None Fire and Explosion Hazard: Flammable liquid Hazardous decomposition products formed under fire conditions. Hazardous combustion products: Hydrogen fluoride, carbon dioxide, carbon monoxide and other hazardous decomposition products may be formed. 5.2 Unusual Fire and Explosion Hazards: Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses. Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No 5.3 Special Fire-Fighting Procedures: Evacuate personnel to safe areas. Wear self-contained breathing apparatus and appropriate full protective equipment. Move containers from area of the fire if this can be done without risk. Cool fire-exposed containers with water. Do not allow run-off from firefighting to enter drains or water courses. DN 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS) 6.1 Personal Precautions, Protective Equipment and Emergency Procedures: Evacuate personnel to safe area. Ensure cleanup is done only by trained personnel. Material can create slippery conditions. Wear personal protective equipment. Ventilate area. 6.2 Environmental Precautions; Do not discharge to streams, ponds, lakes or sewers. Avoid subsoil penetration. For larger, cover	)N 5 – FIRE FIGHTIN	G MEASURES	
Foam: Yes         Halon: No         Carbon Dioxide: Yes         Dry Chemical: Yes         Other: None         Fire and Explosion Hazard: Flammable liquid         Hazardous decomposition products formed         under fire conditions. Hazardous combustion         products: Hydrogen fluoride, carbon dioxide,         carbon monoxide and other hazardous         decomposition products may be formed.         5.2 Unusual Fire and Explosion Hazards:         Irritating and toxic fumes may be produced at high temperatures. Use of water may result if         the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter         drains or water courses.         Explosive Sensitivity to Mechanical Impact:       No         Explosive Sensitivity to Static Discharge:       No         5.3 Special Fire-Fighting Procedures:       Evacuate personnel to safe areas. Wear self-contained breathing apparatus and appropriate full protective equipment. Move containers from area of the fire if this can be done without risk. Cool fire-exposed containers with water. Do not allow run-off from firefighting to enter drains or water courses.         ON 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)         6.1 Personal Precautions, Protective Equipment and Emergency Procedures:         Evacuate personnel to safe area. Ensure cleanup is done only by trained personnel. Material can create slippery conditions. Wear personal protective equipment. Ven	5.1 Fire Extinguishing	g Materials:	
<ul> <li>Explosive Sensitivity to Static Discharge: No</li> <li>5.3 Special Fire-Fighting Procedures: Evacuate personnel to safe areas. Wear self-contained breathing apparatus and appropriate full protective equipment. Move containers from area of the fire if this can be done without risk. Cool fire-exposed containers with water. Do not allow run-off from firefighting to enter drains or water courses.</li> <li>DN 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)</li> <li>6.1 Personal Precautions, Protective Equipment and Emergency Procedures: Evacuate personnel to safe area. Ensure cleanup is done only by trained personnel. Material can create slippery conditions. Wear personal protective equipment. Ventilate area.</li> <li>6.2 Environmental Precautions;</li> <li>Do not discharge to streams, ponds, lakes or sewers. Avoid subsoil penetration. For larger, cover</li> </ul>	Use the following fire	extinguishing materials:	Foam: Yes Halon: No Carbon Dioxide: Yes Dry Chemical: Yes Other: None Fire and Explosion Hazard: Flammable liquid. Hazardous decomposition products formed under fire conditions. Hazardous combustion products: Hydrogen fluoride, carbon dioxide,
<ul> <li>Evacuate personnel to safe areas. Wear self-contained breathing apparatus and appropriate full protective equipment. Move containers from area of the fire if this can be done without risk. Cool fire-exposed containers with water. Do not allow run-off from firefighting to enter drains or water courses.</li> <li>DN 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)</li> <li>6.1 Personal Precautions, Protective Equipment and Emergency Procedures: Evacuate personnel to safe area. Ensure cleanup is done only by trained personnel. Material can create slippery conditions. Wear personal protective equipment. Ventilate area.</li> <li>6.2 Environmental Precautions; ponds, lakes or sewers. Avoid subsoil penetration. For larger, cover</li> </ul>	Irritating and toxic fu the formation of a tox	mes may be produced at h kic aqueous solution. Do no	decomposition products may be formed. igh temperatures. Use of water may result if
<ul> <li>6.1 Personal Precautions, Protective Equipment and Emergency Procedures:</li> <li>Evacuate personnel to safe area. Ensure cleanup is done only by trained personnel. Material can create slippery conditions. Wear personal protective equipment. Ventilate area.</li> <li>6.2 Environmental Precautions:</li> <li>Do not discharge to streams, ponds, lakes or sewers. Avoid subsoil penetration. For larger, cover</li> </ul>	Irritating and toxic fu the formation of a tox drains or water cours Explosive Sensitivity to	mes may be produced at h kic aqueous solution. Do no ses. Mechanical Impact:	decomposition products may be formed. igh temperatures. Use of water may result if ot allow run-off from fire fighting to enter No
Evacuate personnel to safe area. Ensure cleanup is done only by trained personnel. Material can create slippery conditions. Wear personal protective equipment. Ventilate area. 6.2 Environmental Precautions: Do not discharge to streams, ponds, lakes or sewers. Avoid subsoil penetration. For larger, cover	Irritating and toxic fu the formation of a tox drains or water cours Explosive Sensitivity to 5.3 Special Fire-Fight Evacuate personn protective equipme fire-exposed conta	mes may be produced at h kic aqueous solution. Do no ses. • Mechanical Impact: • Static Discharge: ting Procedures: el to safe areas. Wear self-co ent. Move containers from are	decomposition products may be formed. igh temperatures. Use of water may result if ot allow run-off from fire fighting to enter No No pontained breathing apparatus and appropriate full ea of the fire if this can be done without risk. Cool
drains and build dikes to prevent entry into sewer systems or bodies of water.	Irritating and toxic fu the formation of a tox drains or water cours Explosive Sensitivity to 5.3 Special Fire-Fight Evacuate personn protective equipme fire-exposed conta courses.	mes may be produced at h kic aqueous solution. Do no ses. D Mechanical Impact: D Static Discharge: <b>ting Procedures:</b> el to safe areas. Wear self-co ent. Move containers from are iners with water. Do not allow	decomposition products may be formed. igh temperatures. Use of water may result if ot allow run-off from fire fighting to enter No No pontained breathing apparatus and appropriate full ea of the fire if this can be done without risk. Cool w run-off from firefighting to enter drains or water



## All Shield EX

## Version 1

pg. 5

Remove all sources of ignition. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Soak up with sawdust, sand, oil dry or other inert absorbent material. Pick up and transfer to properly labelled containers.

## **SECTION 7 - HANDLING AND STORAGE**

## 7.1 Precautions for Safe Handling:

Do not use sparking tools. Ground containers when transferring material. Avoid formation of respirable particles. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before re-use. \*\*\*Agitate thoroughly before use\*\*\*

## 7.2 Storage and Handling Practices:

Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store locked up. Keep container tightly closed. Keep away from heat sparks and open flame. Store away from incompatible materials. If the product freezes, allow the product to thaw then mix thoroughly. Product quality testing should be performed before using.

## 7.3 Specific Uses:

These products should be used only by trained personnel. Do not under any circumstances aerosolize these products.

These products should only be dispensed by airless sprayers less than 50 psi with a particle size production of greater than 15 microns or a coarse spray device such as a trigger sprayer. Avoid breathing vapor or spray mist. Never use a paint sprayer to apply these products. Power paint sprayers generate very high pressures, aerosolize the product and create significant combustion hazards. A respirator must be used when spraying these products and the products should only be used in areas with proper ventilation. Avoid contact with eyes or skin. Glasses or goggles, gloves and other protective clothing should always be worn when the product is used. Avoid contamination of tobacco products. Wash hands thoroughly before smoking. Use the proper equipment. This includes:

- Exhaust fan
- Low pressure airless sprayer (less than 50 psi)
- Respirator with organic vapor cartridge
- Glasses or goggles, gloves and protective clothing

Before you start spraying:

- Set up cross ventilation, open doors and windows, place a fan blowing out of a window or door to increase exhaust
- Remove all people and animals from the exposure area
- All personnel in the exposure area wear a proper fitting respirator with organic vapor cartridge
- Turn off air conditioning or heating units and remove all ignition sources
- Use low pressure airless sprayer (less than 50 psi)



## All Shield EX

## Version 1

pg. 6

When spraying solvent-based systems, solvent will continue to evaporate after the product has been applied, so you must do the following until the solvent vapor concentration is below 300 ppm (about 60 minutes):

- Continue cross ventilation o Keep people and animals out of the spray area
- Continue to wear respirators in the spray area
- Do not expose the treated fabric to open flame or other ignition sources (such as, matches, or cigarette lighters)

After the product dries, only the soil and stain repellent is left behind on the treated substrate. It is safe, nonhazardous and hypoallergenic. The treated substrate will be dry to the touch after 30-60 minutes and is completely dried and ready for use within 24 hours.

## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	Manufacturer determined
Dipropylene Glycol Methyl Ether	34590-94-8	TWA:600 mg/m3 (100 ppm)	TWA:10 ppm;STEL:75 ppm
Alkanes (C11-C15, iso)	90622-58-5	N/A	TWA:100 ppm
Aromatic Hydrocarbon	64742-95-6	2000 mg/mg3	NIOSH PEL: 350mg/m3

## 8.2 Exposure Controls:

Ventilation and Engineering Controls:

	application. Use suitable ventilation to remove
	mists or vapors during spray or other
	applications.
Respiratory Protection:	Wear suitable personal respirator and protective suit when spray or mist occurs.
Eye Protection:	Wear safety glasses with side shields or goggles
Hand Protection:	Wear protective gloves.
Body Protection:	Rubber apron, boots or coveralls as necessary
-	to prevent skin contact.

Local ventilation must be used during

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Clear Amber Liquid Odor: Solvent-like Odor Threshold: No data available pH: No data available Melting/Freezing Point: No data available Boiling Point: 281.5° F (138.6 °C) Flash Point: 109° F (42.8 °C) TCC Evaporation Rate: 0.9 (butyl acetate =1)



# All Shield EX

Flowerschillter (Oolide Ooo), Not over			pg. 7
Flammability (Solid; Gas): Not app Upper/Lower Flammability or Expl Vapor Pressure (mm Hg @ 20°C (6 Vapor Density: No data available Relative Density: No data available Specific Gravity: ~0.85 Solubility in Water: Non soluble in w Weight per Gallon: No data availab Partition Coefficient (n-octanol/wa Auto-Ignition Temperature: No dat Decomposition Temperature: No dat	losion Limits: Not da 58° F): No data availal water le iter): No data availabl a available	ble	
9.2 Other Information: No data ava	ilable		
ON 10 – STABILITY AND REACTIVI	ТҮ		
10.3 Possibility of Hazardous Read 10.4 Conditions to Avoid:	Do not overhe heat, sparks,	eat to prevent from thermal o open flames and other igniti	
<u>10.5 Incompatible Substances:</u> <u>10.6 Hazardous Decomposition Pr</u>		e situation, hydrogen fluoride de and other hazardous dec	
	roducts: In case of fire carbon dioxio may be form	e situation, hydrogen fluoride de and other hazardous dec	
10.6 Hazardous Decomposition Pr ON 11 – TOXICOLOGY INFORMATI 11.1 Information on Toxicological	roducts: In case of fire carbon dioxid may be form ON	e situation, hydrogen fluoride de and other hazardous dec	
10.6 Hazardous Decomposition Pr         ON 11 – TOXICOLOGY INFORMATI         11.1 Information on Toxicological         Toxicity Data:         Alkanes (C11-C15, iso	roducts:       In case of fire carbon dioxid may be form         ON	e situation, hydrogen fluoride de and other hazardous dec ed. <u>LD50 Dermal - Rabbit</u> <u>LC50 Inhalation – Rat</u> Ingestion - Rat	omposition products <u>LD50 &gt; 3,160 mg/kg</u> <u>LC50 &gt; 5 mg/l</u> LD50 > 5,000 mg/kg
10.6 Hazardous Decomposition Pr         ON 11 – TOXICOLOGY INFORMATI         11.1 Information on Toxicological         Toxicity Data:         Alkanes (C11-C15, iso         Dipropylene Glycol         Methyl Ether	coducts:       In case of fire carbon dioxid may be form         ON	e situation, hydrogen fluoride de and other hazardous decred. <u>LD50 Dermal - Rabbit</u> <u>LC50 Inhalation – Rat</u> <u>Ingestion - Rat</u> <u>LD50 Dermal - Rabbit</u> <u>LC50 Inhalation – Rat</u> Ingestion - Rat	omposition products LD50 > 3,160 mg/kg LC50 > 5 mg/l LD50 > 5,000 mg/kg LD50 > 5,000 mg/kg LC50 > 50 mg/l LD50 5,180 mg/k
10.6 Hazardous Decomposition Pr         ON 11 – TOXICOLOGY INFORMATI         11.1 Information on Toxicological         Toxicity Data:         Alkanes (C11-C15, iso         Dipropylene Glycol	roducts:       In case of fire carbon dioxid may be form         ON	e situation, hydrogen fluoride de and other hazardous dec ed. <u>LD50 Dermal - Rabbit LC50 Inhalation – Rat</u> Ingestion - Rat <u>LD50 Dermal - Rabbit</u> LC50 Inhalation – Rat	omposition products LD50 > 3,160 mg/kg LC50 > 5 mg/l LD50 > 5,000 mg/kg LD50 > 5,000 mg/kg LC50 > 50 mg/l



## All Shield EX

Version 1

pg. 8

## **SECTION 12 – ECOLOGICAL INFORMATION**

## 12.1 Toxicity:

Aremetic Llydreserber	64742-05-6	LC50 - Fish	9.2 mg/l – 96h
Aromatic Hydrocarbon	64742-95-6	EC50 - Algae	3.3 mg/l

for this product.

12.2 Persistence and Degradability:	No specific data available on this product.
12.2 Pianonumulativa Potentiali	No aposifia data available on this product

- No specific data available on this product. 12.3 Bioaccumulative Potential:
- PARACHLOROBENZOTRIFLUORIDE (98-56-6) Log Kow 3.7
- No specific data available on this product. 12.4 Mobility in Soil:
- 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.
- 12.6 Other Adverse Effects: No data available At present, there are no ecotoxicological assessments
- 12.7 Water Endangerment Class:

## **SECTION 13 – DISPOSAL CONSIDERATIONS**

13.1 Waste Treatment Methods:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined

13.2 EU Waste Code:

## **SECTION 14 - TRANSPORTATION INFORMATION**

#### 14.1 U.S. Department of Transportation (DOT) Shipping Regulations: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows. **UN Identification Number:** UN 1993 Proper Shipping Name: Flammable liquids, n.o.s. (Contains: Petroleum Distillate)

Hazard Class Number and Description: Packing Group: DOT Label(s) Required:

North American Emergency **Response Guidebook Number:** 14.2 Environmental Hazards: Marine Pollutant: **UN Number: Proper Shipping Name:** 

Class 3 ш In containers of 119 gallons or less this product is not regulated by DOT. Shipments in containers of more than 119 gallons, this product is regulated by DOT and must ship as flammable liquid.

Not applicable

UN 1993 Flammable liquids, n.o.s. (Contains: Petroleum Distillate)



# All Shield EX

	pg. 9
Transport Hazard Class:	Class 3
Packing Group:	III
14.3 Special Precaution for User:	None
14.4 International Air Transport Association	
UN Number:	UN 1993
UN Proper Shipping Name:	Flammable liquids, n.o.s. (Contains: Petroleum
	Distillate)
Transport Hazard Class:	Class 3
Packing Group:	
14.5 International Maritime Organization	
Shipping Information (IMO):	
UN Identification Number:	UN 1993
Proper Shipping Name:	Flammable liquids, n.o.s. (Contains: Petroleum
	Distillate)
Hazard Class Number and Description:	Class 3
Packing Group:	
EMS-No:	
	Not applicable
of Title III of the Superfund Amendments and Rea U.S. SARA 311/312: Acute Health: Yes; Chronic Health: No; Fire: Yes; U.S. CERCLA Reportable Quantity: Not applicable U.S. TSCA Inventory Status: Listed; Subject to TSCA Section 5 and 12b. Other U.S. Federal Regulations:	
None known	
California Safe Drinking Water and Toxic Enfo	
This product does not contain ingredients on the F	Proposition 65 Lists.
<b>15.2 Canadian Regulations:</b> <b>Canadian DSL/NDSL Inventory Status:</b> Components are DSL Listed, NDSL Listed and/or <b>Other Canadian Regulations:</b>	are exempt from listing



## **All Shield EX**

Version 1	pg. 10
<b>15.3 European Economic Community Information:</b> This product meets the definition of a hazardous substance or preparation as defined by the Eu Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. 2 for Details.	
Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance/mixture by the supplie 15.4 Australian Information for Product:	er.
Components of this product are listed on the International Chemical Inventory list. 15.5 Japanese Information for Product:	
Japanese Minister of International Trade and Industry (MITI) Status: The components of this pr listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or D Chemical Substances by the Japanese MITI.	
15.6 International Chemical Inventories: Listing of the components on individual country Chemical Inventories is as follows:	
Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed	
Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed	

## **SECTION 16 – OTHER INFORMATION**

Date of Printing: August 12, 2024

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

## END OF SDS SHEET